

Viburcol®



Children get infections especially easily. Over 80% of all childhood illnesses are due to infections. The average child receives anti-infective medication twice per year.

Viburcol is a homeopathic combination formula with the healing properties of Chamomilla, four other plants, and one mineral to ensure an effective therapy without stressing the sensitive body of a child. A suppository dosage form is highly suitable for infants and circumvents the problems most children have with taking tablets.

Treatment Guidelines

Age

There are no age restrictions for administering Viburcol suppositories. Viburcol suppositories may be administered immediately after birth.

Fever

Treatment with Viburcol suppositories will not reduce fever dramatically. This allows continuance of one of the body's vital defense mechanisms. Fever will subside gradually due to alleviation of the underlying condition.

Easy to Use

Dosage recommendations

	During acute phase	After alleviation of acute phase
Up to six months old	1 suppository, maximum 2 times daily	1 suppository daily
More than six months old	1 suppository, several times daily	1 suppository 2–3 times daily

Drug interactions

Viburcol suppositories are not known to interact with any other medication. Therefore, Viburcol is highly suitable for effectively treating the restlessness and irritability associated with an illness that is treated with additional medication.

Side effects, contraindications


There are no known side-effects or contra indications associated with the use of Viburcol suppositories.

Demonstrated Efficacy

In a prospective, reference controlled cohort study¹⁾ children under 12 years were treated either with Viburcol (361 children) or with Paracetamol (406 children) in monotherapy. The overall efficacy of therapy was estimated as "very good" or "good" in 93% of the Viburcol patients.

A total of 87% of the children showed a significant reduction of symptoms within 3 days when treated with Viburcol.

Treatment with Viburcol at the recommended dosage reduces the severity of the primary symptoms of restlessness, fever and common feverish infections:



Score range: none = 0, slight = 1, moderate = 2

Reference:

1) Müller-Krampe B, Gottwald R, Weiser M: Symptomatic Treatment of Acute Feverish Infections with a Modern Homeopathic Medication. Biologische Medizin 2002, 31 (2), 79–85.

Viburcol®

- ✕ *Proven effective*
- ✕ *No known side effects or contraindications*
- ✕ *Safe, gentle alternative to treatment with conventional medications*



Can be administered immediately after birth!

Viburcol®



The Modern
Homoeopathic Therapy for

Infections,
with or without fever
Pediatric restlessness

Viburcol® Suppositories

Composition: 1 supp. of 1.1 g cont.: Chamomilla recutita D1, Atropa belladonna D2, Solanum dulcamara D4, Plantago major D3, 1.1 mg each; Pulsatilla pratensis D2 2.2 mg; Calcium carbonicum Hahnemanni D8 4.4 mg.

Indications: Suppositories for infants and children in conditions of restlessness with or without fever; symptomatic treatment of common infections.

Dosage: In acute disorders insert 1 suppository into the anus and repeat on several occasions; after alleviation, 1 suppository 2–3 times daily. For infants (from the first day of life) up to 6 months of age, a maximum of 1 suppository twice daily. **Package sizes:** Packs containing 12 and 60 suppositories of 1.1 g.

Revised: June 2003

Biologische Heilmittel Heel GmbH
Baden-Baden, Germany
www.heel.com

-Heel



-Heel